PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

		_	DER THE PATENT COOPERATIO	N IREATT (PCT)
(51) International Patent Classification 6: C11D 1/52, 3/37	A1	(1	1) International Publication Number:	WO 99/18177
CIID 1132, 3/3/	AI	(4	3) International Publication Date:	15 April 1999 (15.04.99)
 (21) International Application Number: PCT/GBS (22) International Filing Date: 7 October 1998 (0 (30) Priority Data: 97402358.2 7 October 1997 (07.10.97) (71) Applicant (for all designated States except MN US): R & COLMAN FRANCE [FR/FR]; 15, rue Ampèr postale 83, F-91301 Massy Cedex (FR). (71) Applicant (for MN only): RECKITT & COLMAN PROLIMITED [GB/GB]; 67 Alma Road, Windsor, ESL4 3HD (GB). (72) Inventors; and (75) Inventors/Applicants (for US only): JOETZJER, [FR/FR]; 5, rue Cornu, F-27400 Louviers (FR). Serge [FR/FR]; 90, rue de la Paix, F-28600 Luisan (74) Agents: DICKSON, Elizabeth, Anne et al.; Reckitt & plc, Group Patents Dept., Dansom Lane, Hull Hig (GB). 	ECKIT re, Bot DDUCT Berskhin Pasca FAURI nt (FR).	EP Trite Is re	(81) Designated States: AL, AM, AT, ABY, CA, CH, CN, CU, CZ, DE, GH, GM, HR, HU, ID, IL, IS, LC, LK, LR, LS, LT, LU, LV, MX, NO, NZ, PL, PT, RO, RU, TJ, TM, TR, TT, UA, UG, US, patent (GH, GM, KE, LS, MW, Spatent (AM, AZ, BY, KG, KZ, M) patent (AT, BE, CH, CY, DE, IE, IT, LU, MC, NL, PT, SE), CG, CI, CM, GA, GN, GW, ML Published With international search report.	AU, AZ, BA, BB, BG, BR, DK, EE, ES, FI, GB, GE, IP, KE, KG, KP, KR, KZ, MD, MG, MK, MN, MW, SD, SE, SG, SI, SK, SL, UZ, VN, YU, ZW, ARIPO D, SZ, UG, ZW), Eurasian D, RU, TJ, TM), European DK, ES, FI, FR, GB, GR, OAPI patent (BF, BI, CE, CR)
(54) Title: DETERGENT COMPOSITION				
(57) Abstract				
A laundry detergent composition for washing delicate natural and/or synthetic ceramide; a silicone emulsion and, or	fabrics optiona	s co illy,	emprising one or more anionic, nonionic or other detergent ingredients.	amphoteric surfactants; a
	٠.			

		• ,

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

SI

SK SN SZ TD TG

TJ TM TR TT UA

UG

US UZ VN YU ZW Slovenia

Slovakia Senegal Swaziland Chad Togo Tajikistan Turkmenistan

Vict Nam Yugoslavia Zimbabwe

Turkey
Trinidad and Tobago
Ukraine

Uganda
United States of America
Uzbekistan

AL	Albania	ES	Spain	LS	T. a. a. alt
AM	Armenia	FI	Finland	LT	Lesotho
AT	Austria	FR	France	LU	Lithuania
ΑU	Australia	GA	Gabon	LV	Luxembourg
AZ	Azerbaijan	GB	United Kingdom	MC	Latvia
BA	Bosnia and Herzegovina	GE	Georgia	MD	Monaco
BB	Barbados	GH	Ghana		Republic of Moldova
BE	Belgium	GN	Guinea	MG	Madagascar
BF	Burkina Faso	GR	Greece	MK	The former Yugoslav
BG	Bulgaria	HU	Hungary		Republic of Macedonia
BJ	Benin	IE	Ireland	ML	Mali
BR	Brazil	IL	Israel	MN	Mongolia
BY	Belarus	IS	Iceland	MR	Mauritania
CA	Canada	IT	Italy	MW	Malawi
CF	Central African Republic	JР	•	MX	Mexico
CG	Congo	KE	Japan	NE	Niger
CH	Switzerland	KG	Kenya	NL	Netherlands
CI	Côte d'Ivoire	KP	Kyrgyzstan	NO	Norway
CM	Cameroon	r.r	Democratic People's	NZ	New Zealand
CN	China	KR	Republic of Korea	PL	Poland
Cυ	Cuba		Republic of Korea	PT	Portugal
CZ	Czech Republic	KZ	Kazakstan	RO	Romania
DE	Germany	rc	Saint Lucia	RU	Russian Federation
DK	Denmark	Li	Liechtenstein	SD	Sudan
BE	Estonia	LK	Sri Lanka	SE	Sweden
55	Estona	LR	Liberia	SG	Singapore

-1-

DETERGENT COMPOSITION

This invention relates to a laundry detergent composition which is suitable for laundering fine fabric materials such as wool, silk, nylon, polyester and the like under relatively mild washing conditions.

Laundry detergent compositions generally employ anionic surfactants as the primary detergent-active compounds, such as alkyl benzene 10 sulphonates, fatty alcohol sulphates or alkyl glycol ether sulphates. However, it has been found that a number of anionic surfactants damage the fibre structure of sensitive fabrics upon repeated washing. Fine fabric wash formulations tend to contain a blend of anionic surfactants 15 with non-ionic or amphoteric surfactants. The non-ionic surfactants are intended to increase detergency. However, when sensitive woollen fabrics are washed with non-ionics, the fabrics tend to feel comparatively hard and brittle. 20 These effects can be intensified with machine washing. An addition of softening amphoteric surfactants does not completely counteract the loss of feel and, although amphoteric surfactants act as fibre-softening agents, some anionic and non-ionic surfactants reduce the softening effect 25 of the amphoteric surfactants. Also, most known softening agents which are incorporated into detergents are detrimental to cleaning performance.

5

There is therefore a need for a fine fibre wash formulation which can be used to wash delicate fabrics such as woven or knitted woollen fabrics and silk, which gives a good cleaning performance without having a detrimental effect on the properties of the fabric, and which ensures that the treated fabric has a soft feel.

In accordance with the present invention, there is provided a laundry detergent composition for washing delicate fabrics comprising:

- a) one or more anionic, non-ionic or amphoteric surfactants or a mixture of two or more thereof;
- b) a natural and/or synthetic ceramide;
- 15 c) a silicone; and
 - d) optionally other detergent ingredients.

Preferably, the detergent composition comprises:

- b) from 0.001 to 5 wt % of one or more ceramides;
 - c) from 0.05 to 5 wt % of a polydimethylsiloxane; and
- d) optionally other detergent ingredients to 100 wt %.

5

10

15

It has been found that the use in the present composition of a silicone and a ceramide in combination provides a detergent with, simultaneously, a softening effect and an overall efficient cleaning performance.

Preferably, the silicone is a silicone fluid, more preferably a silicone emulsion, and most preferably a silicone micro-emulsion. Examples of suitable silicones are polyalkyl or polyaryl silicones. Particularly preferred silicones are polydimethylsiloxanes, with organic groups incorporated into the basic silicone backbone, having the following structure:

$$A \xrightarrow{CH_3} \begin{bmatrix} CH_3 \\ | \\ Si \xrightarrow{CH_3} \end{bmatrix} \begin{bmatrix} CH_3 \\ | \\ Si \xrightarrow{CH_3} \end{bmatrix} \xrightarrow{CH_3} A$$

$$CH_3 \xrightarrow{CH_3} \begin{bmatrix} CH_3 \\ | \\ CH_3 \end{bmatrix} \xrightarrow{CH_3} \begin{bmatrix} CH_3 \\ | \\ CH_3 \end{bmatrix} \xrightarrow{CH_3} CH_3$$

20

wherein R is an amino, polyether, epoxy, hydroxyl, polyether/amino, polyether/epoxy or cyclohexyl functional group; A may be any group suitable for ending the silicone chains, for example a hydrogen, methyl or hydroxyl group; and a and b are integers, preferably between 7 and 5000.

Examples of suitable silicones are those marketed under the trade names DC 225 (produced

WO 99/18177

-4-

PCT/GB98/02987

by Dow Corning Corporation) and Magnasoft EM 410 (produced by Witco).

The concentration of silicone in the compositions of the invention suitably lies in the range from 0.05 to 5 wt %, preferably 0.1 to 2 wt % and most preferably the silicone concentration is about 0.5 wt %.

The ceramide present in the composition of the present invention may be a natural ceramide or a synthetic ceramide, for example an N-acylsphingenine or a derivative thereof. The amide-linked fatty acids are generally characterised by a C_{16} to C_{26} , C_{30}/w -OH or C_{32}/w -OH chain. The long chain amine may be sphingosine or sphinganine or phytosphingosine.

Particularly preferred ceramides are
Bis (N-hydroxyethyl cetyl) Malanomide which is
marketed under the trade name Questamide H and
produced by Quest (this is synthetic "ceramide
2", with ceramide 2 being naturally found in
hair); Palmitado-serinate de myristyl which is
marketed under the trade name ceramide A2 and
produced by Sederma; Palmitadohexadecanediol
which is marketed under the trade name Ceramide
II and produced by Quest and a glycosphingolipid
marketed under the trade name ceramide PG5 and
produced by Seporga.

20

25

The composition of the present invention may contain only one ceramide, or, alternatively, two or more different ceramides may be present.

- 5 -

The concentration of ceramide in the compositions of the invention suitably lies in the range from 0.001 to 5 wt %, preferably 0.001 to 2 wt % and most preferably 0.01 to 1 wt %.

5

The desired effects of the present invention are attained by the combined actions of the silicone emulsion and the ceramide in such a detergent formulation.

10

The composition of the present invention further includes detergent-active compounds. Many suitable detergent-active compounds are available and are fully described in the literature. The total amount of surfactant present in the composition of the present invention ranges from 2 to 60 wt % by weight of the total fine fabric detergent composition, preferably 5 to 40 wt %, and most preferably 10 to 20 wt %.

20

25

30

15

The choice of anionic surfactant is not limited and any anionic surfactant suitable for use in a laundry composition may be used. Examples of suitable anionic surfactants are alkylbenzene sulphonates, particularly linear alkylbenzene sulphonates having an alkyl chain length of C_{θ} - C_{15} ; primary and secondary alkyl sulphates, particularly C_{θ} - C_{15} primary alkyl sulphates; alkyl ether sulphates; olefin sulphonates; alkyl xylene sulphonates; dialkyl sulphosuccinates and fatty acid ester

-6-

sulphonates. Sodium salts are generally preferred.

Particularly preferred anionic surfactants are sodium lauryl ether sulphate, which is available under the trade name EMPICOL ESC3 from Albright & Wilson; sodium lauryl sulphate, which is available under the trade name EMPICOL LX from Albright & Wilson; α-olefine sulphonate, which is available under the trade name RHODACAL A 246 L from Rhône-Poulenc and disodium lauryl sulphonsuccinate, which is available under the trade name REWOPOL 5B F12 from Witco.

The anionic surfactants are desirably present in amounts of 2 to 30 wt %, preferably 5 to 20 wt %, and most suitably the anionic surfactant concentration is about 10 wt %.

The choice of non-ionic surfactant is also not limited and any non-ionic surfactant suitable for use in a laundry composition may be used.

Examples of suitable non-ionic surfactants are primary and secondary alcohol ethoxylates, especially the C₈ - C₂₀ aliphatic alcohols ethoxylated with an average of from 1 to 20 moles of ethylene oxide per mole of alcohol, and most particularly the C₁₀ - C₁₅ primary and secondary aliphatic alcohols ethoxylated with an average of from 1 to 10 moles of ethylene oxide per mole of alcohol. Non-ethoxylated non-ionic surfactants include alkyl polyglycosides, glycerol

monoethers, alkanol amides and polyhdroxyamides (glucamide).

Particularly preferred non-ionic surfactants

are Coceth-6 (PEG ether of coccnut alcohol);

Coceth-10(PEG ether of coconut alcohol);

Laureth-6 (PEG ether of lauryl alcohol);

Lauramide DEA, which is available under the trade name EMPILAN 26224 from Albright & Wilson; and lauryl polyglucoside, which is available under the trade name PLANTEREN 1200CS/UP from Henkel.

The non-ionic surfactants are desirably present in amount of 0 to 20 wt \$, preferably 0.5 to 10 wt \$, and most suitably about 1 to 2 wt \$.

Particularly preferred amphoteric surfactants are cocoamidopropylbetaine, such as that available under the trade name EMPIGEN from Albright & Wilson and amine oxides, such as lauramine oxide, which is available under the trade name TEGAMINE OXIDE W from Goldsch.

The amphoteric surfactants are desirably present in amounts of 0.5 to 20 wt % and preferably 0.5 to 10 wt $\frac{1}{2}$.

In addition to the above specified ingredients and water, the compositions of the present invention can optionally contain relatively minor amounts of the usual types of non-surfactant auxiliary ingredients as are commonly employed in conventional laundry detergents, for example inorganic salts such as sodium carbonate, sodium

-8-

sulphate or sodium silicate (where the composition is a powder); anti-redeposition agents such as cellulosic polymers; preservatives; optical brighteners; pearlescing agents; colourants; viscosifying agents such as sodium chloride and pH regulators such as citric acid. This list is not intended to be exhaustive.

Detergent compositions of the invention may be of any suitable form, for example powders or granules, liquids or gels. The manner in which the detergent compositions are prepared or formulated is not particularly critical and such may be prepared by methods well known to those skilled in the art.

15

20

25

30

10

5

The detergent compositions of the present invention are especially well suited and beneficial for the laundering under relatively mild washing conditions (e.g. mild or gentle machine agitation or hand washing and at low or cold wash water temperature) of fine fabric materials such as knitted fabrics of wool and silk, nylon and polyester. In addition to an excellent washing result, these fabrics do not become hard, but instead retain their natural softness, not only with hand washing but also with machine washing.

In order that the invention may be more fully understood, it will now be described with reference to the following examples, in which all percentages are on a weight basis.

Example 1

5	Component	wt%	Nature	Trade name
	α-olefine Sulphonate	5.2	Anionic surfactant	RHODACAL A 246 L (RP)
10	Sodium Lauryl Sulphate	8.3	Anionic surfactant	EMPICOL LX (A&W)
	Lauyl Polyglucoside	1.0	Non-ionic Surfactant	PLANTEREN 1200CS/UP (HENKEL)
	Lauramide DEA	0.75	Non-ionic Surfactant	EMIPLAN 26224 (A&W)
15	Cocoamidopropyl betaine	2.5	Amphoteric surfactant	EMPIGEN (A&W)
	Amino-functional silicone emulsion	1.1	silicone	MAGNASOFT Em. 410 (Witco)
20	Palmitadohexadenediol	0.9	Ceramide	CERAMIDES II (Quest)
20	Citric Acid	0.05	pH regulator	
	Preservative	0.05		
25	Dye	0.01		
	Fragrance	0.20		
	Deionised Water	qsp 100		

Example 2

	Component	wt%	Nature	Trade name
	Sodium Lauryl Ether Sulphate	3.5	Anionic surfactant	EMPICOL ESC3 (A&W)
10	Sodium Lauryl Sulphate	4.3	Anionic surfactant	EMPICOL LX (A&W)
	Coceth-6	1.6	Non-ionic surfactant	REWOPAL LA 6 (Witco)
15	Lauramide DEA	0.5	Non-ionic surfactant	EMIPLAN 26224 (A&W)
	Lauramine oxide	2.5	Amphoteric surfactant	TEGAMINE OXIDE W (Goldsch.)
20	Amino-functional silicone emulsion	0.6	silicone	MAGNASOFT Em. 410 (Witco)
1	Bishydroxyethyl biscetyl malonamide	0.5	Ceramide	QUESTAMIDE H (Quest)
	Citric Acid	0.05	pH regulator	
25	Sodium chloride	2.0		
	Preservative	0.05		
30	Dye	0.01		

Fragrance	0.2	
Deionised Water	qsp 100	

5

Example 3

10	Component	wt%	Nature	Trade name
1	Disoduium Lauryl sulphosuccinate	4.2	Anionic surfactant	REWOPOL SB F12 (Witco)
15	Sodium Lauryl Sulphate	6.6	Anionic surfactant	EMPICOL LX (A&W)
13	Coceth-10	1.4	Non-ionic surfactant	REWOPAL LA
	Cocamidopropyl betaine	2.9	Amphoteric surfactant	EMPIGEN (A&W)
20	Cyclohexylamino-functional silicone emulsion	1.5	silicone	FINISH CT110 (Wacker)
	Palmitadohexadenediol	1.0	Ceramide	CERAMIDES II (Quest)
25	Palmitamido serinate de myristyl	0.5	Ceramide	CERAMIDE A2 (Seporga)
	Citric Acid	0.05	pH regulator	
	Preservative	0.05		

	Dye	0.01	
	Fragrance	0.2	
5	Deionised Water	qsp 100	
ļ			

Example 4

	Component	wt%	Nature	Trade name
15	Sodium Alkyl Benzene sulphonate	8.2	Anionic surfactant	REWOPOL SB F12 (Witco)
	Sodium Lauryl Ether Sulphate	8.6	Anionic surfactant	EMPICOL LX (A&W)
20	Lauryl Polyglucoside	2.6	Non-ionic Surfactant	PLANTEREN 1200CS UP (HENKEL)
I	Lauramide DEA	0.75	Non-ionic Surfactant	EMIPLAN 26224 (A&W)
25	Lauramine oxide	2.3	Amphoteric surfactant	TEGAMINE OXIDE W (Goldsch.)
	Amino-functional silicone emulsion	4.5	silicone	DC 225 (Witco)

E	Bishydroxyethyl biscetyl	2.25	Ceramide	QUESTAMIDE H
- 1	Malonamide	,		(Quest)
	Glycosphingolipids	2.5	Ceramide	CERAMIDE PG5
_				(Seporga)
5	Citric Acid	0.05	pH regulator	
	Preservative	0.05		
	Dye	0.01		
10				
ĺ	Fragrance	0.2		
	Deionised Water	qsp 100		
!				

15

Example 5

20	Component	wt%	Nature	Trade name
	Sodium Alkyl Benzene sulphonate	15.5	Anionic surfactant	REWOPOL SB F12 (Witco)
25	Coceth-6	5.0	Non-ionic surfactant	REWOPAL LA 6 (Witco)
	Sodium Cocoate	3.0	Soap	NORFOX COCO POWDER (Norman)
30	Sodium silicoaluminate (Zeolite)	23.0	Builder	WESSALITH S (Degussa)

	Sodium silicate	3.0	Builder	
	Sodium carbonate	5.0	Builder	
5	Sodium bicarbonate	15.0	Builder	
	Sodium sulphate	15.0	Filler	
10	Cychlohexylamino-functional silicone emulsion	1.5	Silicone	FINISH CT110 (Wacker)
	Glycosphingolipids	2.5	Ceramide	CERAMIDE PG5 (Seporga)
	Sodium citrate	10.0		(Seporga)
5	Fragrance	0.2		
	Water	qsp 100		

20 In order to demonstrate the desired effects of the present invention, the following test was performed.

Wool fibres of diameter 0.1 - 0.14 mm were evaluated for elasticity using a Rheometrics RSA 2 Solids analyser fitted with a monofilament geometry to give a sample length of 24 mm. The test used was a steady strain rate test using a constant strain rate of 0.0001 s⁻¹ with the temperature controlled at 20°C. This allowed measurement of Youngs modulus for a strain

- 15 -

between 2 and 3% in the elastic region of the wool fibre which is equal to the elastic modules G^1 . Values of G^1 are given in the table below:

		Elasticity.
5	Wool without treatment	9.66 x 10' Pa/%
	Wool washed 3 times with water only	3.23 x 10' Pa/%
	Wool washed 3 times with detergent	
	formulation containing a ceramide	3.73 x 10° Pa/%
	Wool washed 3 times with detergent	
	formulation containing a ceramide plus a	6.79 x 10 ⁷ Pa/%
10	silicone emulsion	

From the results it can be seen that a formulation containing a ceramide and a silicone emulsion significantly increased the elasticity of the wool fibre compared to washing in water alone or with a formulation containing ceramide alone.

Furthermore, further tests carried out on different fabrics showed a noticeable improvement of the softness of each fabric when the fabric was washed in a detergent formulation containing ceramide and silicone emulsion compared to washing in water alone or in a standard detergent formulation which did not contain a silicone derivative or a ceramide. Derived from cosmetics 25 technology, it would appear that the ceramides penetrate into the fibres to restore both their strength and volume. In addition, the silicone appears to impart a softness to all types of textiles.

15

- 16 -

For example, the following test was performed to demonstrate the improved softness of fabrics washed in a detergent formulation in accordance with the present invention.

5

Four groups of wool or wool/acrylic fabrics were hand-washed in:

Formulation 1: the formulation in accordance with Example 3, as described previously;

10

Formulation 2: the formulation of Example 3 minus any ceramide or silicone emulsion;

Formulation 3: the formulation in accordance with Example 5, as described previously; and

15

<u>Formulation 4:</u> the formulation of Example 5 minus any ceramide or silicone emulsion.

The fabrics were hand-washed with 35 ml of the detergent diluted in 5 litres of water (middle hardness water) at 30°C and then rinsed twice in 5 litres of cold water.

After 3 washes, panellists were asked to compare the softness of the washed fabrics. The figures given in the table below indicate the preceived softness of the fabrics as compared to the softness of the fabrics prior to washing.

- 17 -

Fabric	Formulation 1 vs	Formulation 2	Formulation 3 v	s Formulation 4
	Formulation 1	Formulation 2	Formulation 3	Formulation 4
Wool	90%	10%	75%	25%
Wool/Acrylic	75%	25%	80€	20%

WO 99/18177

CLAIMS

- A laundry detergent composition for washing delicate fabrics comprising:
- 5 a) one or more anionic, non-ionic or amphoteric surfactants or a mixture of two or more thereof;
 - a natural and/or synthetic ceramide;

- c) a silicone; and
- d) optionally other detergent ingredients.
- 2. A detergent composition according to Claim 1, wherein the silicone is an amino-functional silicone.
- A detergent composition according to Claim 2, wherein the silicone is a microemulsion of a polydimethylsiloxane.
 - 4. A detergent composition according to claim 1, comprising:
- a) 2 to 60 wt % of one or more anionic, non-ionic or amphoteric surfactants or a mixture of two or more thereof;
 - b) from 0.001 to 5 wt % of one or more ceramides;
- c) from 0.05 to 5 wt % of a polydimethylsiloxane; and

-19-

- d) optionally other detergent ingredients to 100 wt %.
- 5. A detergent composition according to any of claims 1 to 4, wherein the ceramide is selected from Bis (N-hydoxyethyl cetyl)
 Malonamide; Palmitadohexadecanediol;
 Palmitado-serinate de myristyl and glycosphingolipids.
- 10 6. A process for laundering fabric materials comprising the steps of immersing the material, with at least mild agitation, in a detergent composition comprising:
- a) one or more anionic, nonionic or amphoteric surfactants or a mixture of two or more thereof;
 - b) a natural and/or synthetic ceramide;
- 20 c) a silicone; and

- d) optionally other detergent ingredients.
- A process for laundering fabric materials comprising the steps of immersing the material, with at least mild agitation, in a detergent composition comprising:
 - a) 2 to 60 wt % of one or more anionic, non-ionic or amphoteric surfactants or a mixture of two or more thereof.

- 20 -

- b) from 0.001 to 5 % of one or more ceramides;
- c) from 0.05 to 5 wt % of an aminopolydimethyl siloxane; and
- 5 d) optionally other detergent ingredients to 100 wt %.
 - 8. A process according to Claim 6 or 7, wherein the fabric material laundered thereby is a silk,nylon, polyester or wool fabric material.

15

10

20

INTERNATIONAL SEARCH REPORT

Inter nal Application No PCT/GB 98/02987

A. CLASSIFI IPC 6	CATION OF SUBJECT MATTER C11D1/52 C11D3/37		
		and IRC	
According to	International Patent Classification (IPC) or to both national classification	and in C	
B. FIELDS S	EARCHED	(alpois)	
IPC 6	cumentation searched (classification system followed by classification sy ${\tt C11D}$ ${\tt A61K}$		
	on searched other than minimum documentation to the extent that such	documents are included in the fields sea	ırched
Documentati	on searched other than manaritian documentation to the state and the		
Electronic da	ata base consulted during the international search (name of data base a	nd, where practical, search terms used)	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		Relevant to dalm No.
Category *	Citation of document, with Indication, where appropriate, of the releva	mt passages	MODIAN IS SELECTION
Α	"PSEUDOCERAMIDES IN CONSUMER PRODI RESEARCH DISCLOSURE,	UCTS"	1,6,8
	no. 394, February 1997, page 96 XP000698514		
	see the whole document		1,4,6-8
A	DATABASE WPI Section Ch, Week 9013		1,4,0-8
}	Derwent Publications Ltd., London, Class D21, AN 90-096016	GB;	
	XP002089065 & JP 02 048520 A (POLA KAESI KOGYO) KK)	
	, 19 February 1990 see abstract		
A	US 4 639 321 A (BARRAT CHRISTIAN F	R ET AL)	1,2,4, 6-8
	27 January 1987 see claims 1,2; example 1		
		/	
X FL	urther documents are listed in the continuation of box C.	X Patent family members are liste	d in annex.
° Special	categories of cited documents :	T" later document published after the in or priority date and not in conflict wit	in the application but
con	ment defining the general state of the art which is not sidered to be of particular relevance	cited to understand the principle or invention "X" document of particular relevance; the	neory underlying the
filin	g date	cannot be considered novel or cannot be considered novel or cannot involve an inventive step when the	document is taken alone
whi cita	trief to which the publication date of another to is.cited to establish the publication date of another tion or other special reason (as specified) ument referring to an oral disclosure, use, exhibition or	"Y" document of particular relevance; the cannot be considered to involve an document is combined with one or ments, such combination being obv	more other such docu-
oth	er means	in the art. "&" document member of the same pate	•
	the actual completion of the international search	Date of mailing of the international	search report
	5 January 1999	15/01/1999	
Name a	nd mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer	
	European Patent Ollice, F.B. 36161 atentical 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fey: (-31-70) 340-3016	Saunders, T	

INTERNATIONAL SEARCH REPORT

inter nat Application No PCT/GB 98/02987

C (Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	PCT/GB 9	3/0298/
Category *			
Jalegory	Citation of document, with indication, where appropriate, of the relevant passages		Relevant to claim No.
4	US 5 075 403 A (KIRK JAMES R) 24 December 1991 see column 1, line 55 - line 60; claim 1; example 8		1-3,6,8
			·
	10 (continuation of second sheet) (life 1992)		

INTERNATIONAL SEARCH REPORT

information on patent family members

Inter nal Application No PCT/GB 98/02987

Publication date	Patent family Publication member(s) date
27-01-1987	NONE
24-12-1991	FR 2648821 A 28-12-1 EP 0404698 A 27-12-1 JP 3095228 A 19-04-1 US 5147578 A 15-09-1